

Christie CP2409-RBe

CHRISTIE CP2409-RBE



Manufacturer Christie offers the CP2409-RBe, an E-Cinema DLP laser projector with HD2K 2048 x 1080 resolution and a contrast of 2000:1. Manufacturer Christie specifies a lifespan of 50000 hours, which would be the equivalent of over 34.2 years at 4 hours a day. 9000 ANSI lumens ensure that an image width of 826 cm is also possible. The projector manages rooms with low light with a smaller image width, max. 551 cm we would recommend. If the image width is insufficient, the projector offers integrated edge blending software, with which several projectors can project a large image together. Furthermore, the projector can play 1080P and 3D without any problems.

 3 x 0,69" S2K DMD DLP Chip
HD2K 4/3 Ti Digital Light Processing Chip

Projector	9000	3000 Lux (200 cm Screen width)
	2000:1 full on/off	2000:1 full on/off
Screen	4,5000 min. Lumen	1,502 min. Lumen

Resolution: HD2K 2048 x 1080
2.211.840 Pixel
Video Modes: Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p
3D Compatibility: Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready) | 2D-zu-3D Video Converter
Application: E-Cinema | Digital Cinema (D-Cinema) in the movie theater.
Light Source: Phazer™ Laser
Light Life: 50000 h.

Operating Costs: 0,00 € Laser

Focus: Powered


Zoom: Powered

Objective: optional

Throw Ratio: optional

Audio: Nein

Connections: 2x HDMI 2.0
Christie CineLife+™ 2K Series (Series-2 IMB compatible)2
1G Ethernet
Remote UI



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
960W
696 x 395 x 688 mm (27,4"x15,6"x27,1") 189,14 L/dm³
50dB

Weight
Keystone
Illumination

62,00 kg / 136,69 lbs.
Vertical automatisch
-

Frequenz

-

- Foot-Lamberts
- 279 fL / max. 826 cm screen width
956 cd/m²
- Real Full HD 3D
 - Full HD 1080P compatible
 - Direkt Power Off
 - Freeze
 - Blank (Black screen button)
 - Automatic and manual vertical keystone correction
 - High Dynamic Range (HDR)
 - Warping
 - Edge Blending
 - Password protection
 - Lan network compatible.
 - Fully motorised Intelligent Lens System
- Features
- Screen Mirroring
-

Optional accessories

 Deckenhalterung HeavyDuty 378,28 €

Optional Lenses						
Name	Ratio	Distance	Shift V	Shift H	Zoom	
2.09-3.90:1 / 108-497101-XX	2.09-3.9:1	418-780 m			Powered	
1.62-2.70:1 / 108-496100-XX	1.62-2.7:1	324-540 m			Powered	
1.33-2.10:1 / 108-495109-XX	1.33-2.1:1	266-420 m			Powered	
1.20-1.72:1 / 108-494108-XX	1.2-1.72:1	240-344 m			Powered	
0.83-1.20:1 / 108-498102-XX	0.83-1.2:1	166-240 m			Powered	

Status

2024 Current model // Last update of the data: 2025-12-22
Created: 2024-06-13 13:40:26





HCinema

<https://www.projector-database.com/pro/christiecp2409rbe-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.