


Christie Roadster HD18K

CHRISTIE ROADSTER HD18K



A brief introduction to the Roadster HD18K: The Christie DLP projector offers 17500 Ansi-Lumen a contrast of 1600 - 2000:1 and a HDTV 1920 x 1080 resolution. The projector also offers a lens shift function that makes image adjustment childs play. 17500 Ansi lumens ensure that a picture width of 1344 cm is also possible. The projector manages rooms with residual light with a smaller image width, we recommend a maximum of 896 cm. If the image width is not sufficient, the projector offers integrated edge blending software, with which several projectors can project a large image together. Furthermore, the projector can play 1080P without any problems. The model was built by Christie in 2006 and is no longer current, but is still very popular in our projector database. Unfortunately, we can no longer offer a replacement lamp for this model, neither original nor replica.



3 x 0,95" DC3 DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector 17500

1600 - 2000:1 full on/off

10,9375 min. Lumen

Vert.: +/-59,5% Hori.: +/-21% motorisch

HDTV 1920 x 1080

2.073.600 Pixel

QXGA 2048 x 1536 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Event | Very large screen width and rooms with plenty of light and shaded daylight.

3000W Xenon Lamp

Article Nr.: 003-000306

750 h.

-

Powered

Powered

optional

optional

Nein


DVI-I mit HDCP in
5 x BNC RGBHV in
S-Video in
Cinch Video in
RS232C
RS422
RJ45

Screen

7778 Lux (200 cm Screen width)

1600 - 2000:1 full on/off

4,868 min. Lumen




Weitere Anschlüsse optional.



Ceiling Mounting	Yes, is possible.
Power	3900W
Size WxHxD	631,4 x 384 x 814,8 mm (24,9"x15,1"x32,1") 197,24 L/dm³
Operating Noise	-

Weight	61,40 kg / 135,36 lbs.
Keystone	-
Illumination	90%
Frequenz	H-sync: 15-120 kHz V-sync: 23,97-150 Hz Range max.: 210 MHz
Foot-Lamberts	723 fL / max. 1344 cm screen width 2477 cd/m²
Features	■ Full HD 1080P compatible
	■ Lens shift Funktion motorisch
	■ Freeze
	■ Gamma correction
	■ Warping
	■ Edge Blending
	■ Picture-in-Picture
	■ Password protection
	■ Remote control with laser pointer
	■ Control via web browser
Screen Mirroring	■ Lan network compatible.
	■ Optional image warping
Screen Mirroring	-



Optional accessories

Nackte Lampe Original	003-000305	3.104,52 €
Nackte Lampe (Low Flicker) Original	003-002886-01	EOL €
Lampe (Low Flicker) Original	003-002885-01	EOL €
Lampe Original	003-000306-03	EOL €
Filter Media Mount + 1 set of filters (front inside & outside Original	104-129101-01	164,16 €
 Deckenhalterung	HeavyDuty	470,94 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
4.1-6.9:1 (104-115101-01)	4.23-7.04:1	846-1408 m	+/-59.5%	+/-21%	Powered
2.6-4.1:1 (104-114101-01)	2.62-4.24:1	524-848 m	+/-59.5%	+/-21%	Powered
1.8-2.6:1 (104-113101-01)	1.86-2.57:1	372-514 m	+/-59.5%	+/-21%	Powered
1.4-1.8:1 (104-112101-01)	1.42-1.92:1	284-384 m	+/-59.5%	+/-21%	Powered
1.2:1 (104-111101-01)	1.21:1	242 m	+/-59.5%	+/-21%	No Zoom
0.71:1 (104-110101-01)	0.75:1	150 m	+/-23.5%	+/-9.5%	No Zoom
1.2:1 (104-116101-01)	1.25:1	250 m	+/-59.5%	+/-21%	No Zoom

Status 2006 Discontinued (EOL) // Last update of the data: 2026-05-05

Data





HCinema

<https://www.projector-database.com/pro/christiehd18k-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.