

Christie LX120

CHRISTIE LX120



A brief introduction to the LX120: The Christie large-format LCD projector offers 12000 Ansi lumens, a contrast of 1300:1 and an XGA 1024 x 768 resolution. With the lens shift function, the projector can be positioned very freely. An image width of up to 954 cm is possible, if the image width is smaller (we recommend max. 636 cm), rooms with residual light are also no problem. Playing 1080P is also no problem for the projector. The model was built by Christie in 2006 and is no longer current, but is still one of the very popular projectors.



3 x 1,8" LCD TFT Panel mit MLA

XGA 4/3 Liquid Crystal Display with Micro Lense Array

Projector

12000 / 6000 im dual Mode

1300:1 full on/off

9,2308 min. Lumen

Vert.: +/-40% Hori.: +/-10%

XGA 1024 x 768

786.432 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, NTSC4.43, PAL-M/N HDTV 1080i, 1080p 720p 480p 1035i

Event | Very large screen width and rooms with plenty of light and shaded daylight.

4 x 300W UHP Lamp

Articel Nr.: 003-120183-01

1000 h.

Screen

4000 Lux (bei 200 cm Screen)

1300:1 full on/off

3,084 min. Lumen

-

Powered

Powered

optional

optional

3W Stereo

1 x DVI

1 x Audio RCA x 2

Computer 2 / Video

5 x BNC / YUV


1 x Audio RCA x 2

1 x BNC Video/YC

1 x S-Video

1 x Audioaus. Eingang RCA x 2

1 x USB



Ceiling Mounting

Power

Size WxHxD

Operating Noise

Control Port x 2
RS232C

Yes

1500W / 20W standby

581 x 251,5 x 783 mm (22,9"x9,9"x30,8") 114,19 L/dm³

51dB

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

36,50 kg / 80,47 lbs.

Vert. +40°-20°

90%

H-sync: 15-120 kHz
V-sync: 50-120 Hz
Range max.: 230 MHz

372 fL / max. 954 cm screen width
1275 cd/m²

- Features
- Full HD 1080P compatible

■ Lens shift Funktion

■ Freeze

■ Kensington Slot

■ Gamma correction

■ Remote control with laser pointer und mouse control

■ Digital Zoom

■ optionally available

■ adapts to all mains voltages.

■ 10-Bit digital Gamma-correction

Optional

Bulb only

Lamp ruby

Lamp original

Compatible lamp

Air filter compatible

Remote control original

Air filter original

NLMP4940

Ruby-LMP4940

003-120183-01

LMP-K4940

Alternative zu:MT8A / 910 301 4815

945 088 0750 / CXVC/CXVY

MT8A / 910 301 4815


Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n4940>

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Christie 6.3-9.0:1	6.27-9.15:1	12.5-18.3 m	45-50%	+/-7.5%	Manual
Christie 4.6-6.0:1	4.5-6.32:1	9-12.6 m	45-60%	15-7.5%	Powered
Christie 3.5-4.6:1	3.51-4.58:1	7-9.2 m	47.5-55%	+/-10%	Powered
Christie 2.6-3.5:1	2.57-3.47:1	5.1-6.9 m	+/-52.5%	+/-10%	Powered
Christie 2.0-2.6:1	2.04-2.68:1	4.1-5.4 m	+/-50%	+/-10%	Powered
Christie 1.5-2.0:1	1.58-2.06:1	3.2-4.1 m	+/-50%	+/-9.5%	Powered
Christie 1.35-1.8:1	1.4-1.86:1	2.8-3.7 m	+/-50%	+/-12.5%	Powered
Fix Optional Lenses					
Christie 7.0:1	7.03:1	14.1 m	+/-44.5%	15-7.5%	No Zoom
Christie 1.2:1	1.19:1	2.4 m	+/-50%	+/-12.5%	No Zoom
Christie 0.8:1	0.8:1	1.6 m	0.0% Fix		No Zoom

Status

2006 Discontinued (EOL) // Last update of the data: 2023-08-04

Data





HCinema

<https://www.projector-database.com/pro/christielx120-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.