

Digital Projection iVision 50 Scope 1080p XC (Preliminary)



Brief Introduction Beta 2.5

Brief presentation of the Digital Projection iVision 50 Scope 1080p XC (Preliminary). The stationary DLP projector has a WQXGA 2560 x 1080 resolution and a contrast of 5300:1. 1500 Ansi lumens ensure that an image width of 337 cm is also possible. However, if room light is available, the picture should be a maximum of 225 cm wide. It is also Full HD 1080P and 3D compatible. The model built in 2015 is no longer offered by Digital Projection.

Display Type

 1 x 0,95" DLP Chip
WQXGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen

1500

500 Lux (bei 200 cm Screen)

Contrast

5300:1 full on/off

5300:1 full on/off

Black Level

0,2830 min. Lumen

0,094 min. Lumen

Offset

Resolution

WQXGA 2560 x 1080
2.764.800 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready)

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Light Source

Small screen width, rooms with very little ambient light below 100 lumens.

Light Life

350W Lamp
2000 h. 2500 h. in Eco Mode

Operating Costs

-

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections

HDMI 1.4 in
DVI-I in
D-sub 15pin in
USB Typ A in
RS232C Din 9 pin in
RJ45 mit HDBaseT in
3GSDI

Ceiling Mounting

Yes, is possible.

Power

530W

Size WxHxD

342 x 143 x 306 mm (13,5"x5,6"x12") 14,97 L/dm³

Operating Noise


-

Weight

7,50 kg / 16,53 lbs.

Keystone

-



Illumination	87%
Frequenz	Range max.: 205 MHz
Foot-Lamberts	46 fL / max. 337 cm screen width 158 cd/m²
Features	Real Full HD 3D Full HD 1080P compatible Eco Mode Lan network compatible.
Screen Mirroring	-

Optional accessories

	Deckenhalterung Länge 100-120 mm	Halterung120	47,86 €
--	----------------------------------	--------------	---------

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
115-784	2.67-4.16:1	5.3-8.3 m			Powered
115-489	1.14-1.74:1	2.3-3.5 m			Powered
115-488	0.86-1.16:1	1.7-2.3 m			Powered
115-485	1.71-2.37:1	3.4-4.7 m			Powered
Fix Optional Lenses					
115-487	0.79:1	1.6 m			No Zoom
115-486	0.99:1	2 m			No Zoom

Status

2015 Discontinued (EOL) // Last update of the data: 2025-03-03

Created: 2015-01-06 11:14:05

Data

More Details



HCinema

<https://www.projector-database.com/pro/digitalprojectionivision50Scope1080p-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

