

Epson USA PowerLite Pro Z9750UNL

EPSON USA POWERLITE PRO Z97



The PowerLite Pro Z9750UNL LCD has 7500 Ansi-Lumen, a contrast of 15000:1 and a WUXGA 1920 x 1200 resolution. Including a lens shift and keystone correction function, which provides freedom during installation. 7500 Ansi lumens ensure that a picture width of 880 cm is also possible. The projector manages rooms with residual light with a smaller image width, we recommend a maximum of 587 cm. If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Furthermore, the projector can play 1080P without any problems. It was launched in 2014 and is no longer offered by the manufacturer Epson USA.

 3 x LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Projector	7500 / 6600 im Eco Mode	Screen	3333 Lux (bei 200 cm Screen)
	15000:1 full on/off		15000:1 full on/off
	0,5000 min. Lumen		0,222 min. Lumen

Vert.: +/-60% Hori.: +/-18% motorisch
WUXGA 1920 x 1200
2.304.000 Pixel

Video Modes PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source 2 x 380W UHE Lamp

Article Nr.: ELPLP81 / ELPLP82

Light Life 2900 h. 3900 h. in Eco Mode

Operating Costs -

Focus Powered


Zoom Powered 1,62

Objective F=1,65-2,51 f=36-57,35 mm / NL optional

Throw Ratio 1,74-2,82:1

Audio Nein

Connections HDMI in
DVI-D mit HDCP in
5 x BNC RGBHV in
D-sub 15 pin in und out
S-Video in
RJ45 in
HDBaseT in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

RS232C

Yes, is possible.

844/ 748W in Eco Mode

534 x 197 x 741 mm (21"x7,8"x29,2") 77,95 L/dm³

37 / 35 dB in Eco Mode

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

Features

24,20 kg / 53,35 lbs.

Vert.: +/-30°
Hori.: +/-30°

90%

H-sync: 15-92 kHz
V-sync: 50-85 Hz

310 fL / max. 880 cm screen width
1062 cd/m²

■ Full HD 1080P compatible

■ Lens shift Funktion motorisch

■ Eco Mode

■ sRGB

■ Edge Blending

■ Optional Wi-Fi network compatible.

■ Lan network compatible.


■ Crestron®-Software compatible.

■ DICOM Simulation

■ Model EB-Z10005U is black

Screen Mirroring

-



Optional accessories			
	Objektiv Original	ELPLW04 / V12H004W04	2.541,40 €
	Objektiv Original	ELPLS04 / V12H004S04	EOL €
	Objektiv Original	ELPLR04 / V12H004R04	EOL €
	Objektiv Original	ELPLM06 / V12H004M06	2.541,40 €
	Objektiv Original	ELPLL07 / V12H004L07	2.541,40 €
	Objektiv Original	ELPLM07 / V12H004M07	EOL €
	Deckenhalterung Länge 225 mm	Halterung45	85,80 €
	Luftfilter universal	uni3mm	18,15 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW04	1.29-1.77:1	2.6-3.5 m	+/-60%	+/-18%	Powered
ELPLS04	1.71-2.78:1	3.4-5.6 m	+/-60%	+/-18%	
ELPLM07	3.85-5.88:1	7.7-11.8 m	+/-60%	+/-18%	Powered
ELPLM06	2.64-4.03:1	5.3-8.1 m	+/-60%	+/-18%	Powered
ELPLL07	5.76-8.09:1	11.5-16.2 m	+/-60%	+/-18%	Powered
Fix Optional Lenses					
ELPLR04	0.76:1	1.5 m	0.0% Fix		No Zoom
Status	2014 Discontinued (EOL) // Last update of the data: 2025-03-03				
Data	Created: 2014-08-18 13:53:34				

More Details



HCinema

<https://www.projector-database.com/pro/epsonpowerliteproz9750unl-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.