MEGAPOWER

2000 Lumens SVGA LCD Projector
ML-182

High Performance Portable Projector at Affordable Price

MEGAPOWER
INDUSTRIAL LIMITED

Suite 903, Park Tower
15 Austin Road
Tsimshatsui, Kowloon
Hong Kong

Phone: 852-6216-0140
Fax: 852-8147-1900
Email: megapwr@netvigator.com
Internet: www.mega-power.com

- **Weighs only 6.8 lb (3.1 Kg)**
- **High Brightness- 2000 ANSI Lumens**
- **True SVGA resolution**
- **Supports HDTV**
- **DVI input**
- **Picture-in-picture**
- **Vertical and Horizontal Digital Keystone Correction**

The Model ML-182 is designed for high performance but at budget price. The ML-182 projector gives you 2000 lumens of SVGA (800x600) resolution and displays XGA (1024x768) in compressed format. The ML-182 is HDTV ready. It projects vivid and rich video images using either 4:3 or 16:9 aspect ratio. It offers both vertical and horizontal keystone correction to allow you to have a fully rectangular image at all times. Brightness, high-quality video, outstanding computer resolutions, and great pricing are what make MEGAPOWER your choice for projection.

ML-182 2000 ANSI LUMENS SVGA LCD PROJECTOR

Specifications

Item	Category	ML-182
1.	Model Name	ML-182
2.	Video Compatible	NTSC / PAL / SECAM
3.	Projection System	LCD Type
4.	Panel	0.79” LCD x 3
5.	Native Resolution	SVGA (800 x 600)
6.	Resolution Supported	VGA to UXGA
7.	Brightness	2000 ANSI Lumens (Typical)
8	Image Size	30”~300”
9.	Throw Ratio	64.2”(Wide) ~53.6”(Tele) @ 2m
10	Zoom Ratio	1.20
11	Projection Distance	1.25m~9.35m
12	Lens	Manual Zoom, F=1.72~1.98, f=25~30mm
13	Uniformity	90%
14	Contrast Ratio	400:1
15	Color	Full 16.7 million color palette
16	Aspect Ratio	4:3 / 16:9 screen selectable
17	Horizontal Frequency	15~90 KHZ
18	Vertical Scan Rate	43~85 HZ
19	Projection Position	Front / Rear / Ceiling /Rear Ceiling
20	Lamp	180W, 2000 hours lamp life(Normal model) 3000 hours lamp life(ECO model)
21	Audio Noise	<37db
22	Keystone Correction Angle	+/- 15 degrees Vertical and +/- 10 degrees Horizontal
23	Optical Correction	1:6
24	Input Terminals	RGB: Analog-D-sub 15 pin x 1 S-Video: Mini-din 4 pin x 1 Video: Composite Video x 1 DVI-I Data Connection x 1 Audio-In: Mini jack x 1 Audio-Out: Mini jack x 1 USB IR Control x 1 RS232 x 1

25	Output Terminals	2 Watt Speaker x 1
26	Body Material	ABS+PC
27	Dimensions	297mm(L) X 233mm(W) X 93mm(H)
28	Weight	3.1 Kg
29	Power Supply	230W
30	Power	AC 90~265V / 50~60HZ
31	On-Screen Display Language	English/French/German/Italian/Spanish/Japanese Traditional Chinese/Simplified Chinese
32	Functions	Digital Keystone (Vertical & Horizontal) Auto Freeze Blank Mute Volume Treble Bass Source Detection HDTV Compatible PIP (Picture in Picture)
33	Safety Regulations	CE, FCC, UL
34	Accessories (Standard)	User´s Guide Remote Controller Lens Cover AA Batteries ×2 VGA Cable Power Cord Video Cable (RCA Type) S-Video Cable Audio Cable×2 PC-PC Audio Cable USB Cable DVI Cable
35	Accessories (Optional)	Carrying Bag

MEGAPOWER INDUSTRIAL LIMITED

Suite 903, Park Tower, 15 Austin Road, Tsimshatsui, Hong Kong

Tel: 852-6216-0140 Fax: 852-8147-1900

Email: megapwr@netvigator.com Web site: www.mega-power.com