

Nec PA500U

NEC PA500U



The Nec PA500U LCD projector has 5000 Ansi-Lumen, a contrast of 2000:1 and a WUXGA 1920 x 1200 resolution. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. The projector also offers a lens shift function, which makes image adjustment childs play. An image width of up to 718 cm is possible as the projector has 5000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 479 cm. It is also Full HD 1080P compatible. The model was built by Nec in 2011 and is no longer current, but is still a popular projector in our database.



3 x 0,76" LCD TFT Panel mit MLA

WUXGA 16/9 Liquid Crystal Display with Micro Lense Array

Projector

5000

2000:1 full on/off

2,5000 min. Lumen

Vert.: +50% -10% Hori.: +/-30%

WUXGA 1920 x 1200

2.304.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: JPEG BMP PNG GIF MPG MPEG2 MP4 WMV

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

330 / 264W UHP im Eco Mode Lamp

Articel Nr.: NP21LP

3000 h. 4000 h. in Eco Mode

3,35% / 0,11 €

Manual

Manual

optional

optional

1 x 10W

HDMI 1.3 im

2 x D-sub 15 pin in 1 x out

5 x BNC RGBHV in

S-Video in

Cinch Video in

Screen

2222 Lux (bei 200 cm Screen)

2000:1 full on/off

1,112 min. Lumen



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Cinch Stereo in

USB Typ B in

RS232C Din 9 pin in

Mini Jack Audio in und out

Yes

445W

499 x 144 x 359 mm (19,6"x5,7"x14,1") 25,8 L/dm³

38 / 32 dB in Eco Mode

Ceiling Mounting

Power

Size WxHxD

Operating Noise

7,80 kg / 17,2 lbs.

Vert.: +/-30°

Hori.: +/-35°

-

Weight

Keystone

Illumination

H-sync: 15-108 kHz

V-sync: 48-120 Hz

206 fL / max. 718 cm screen width

706 cd/m²

Frequenz

Foot-Lamberts

- Full HD 1080P compatible

■ Direkt Power Off

■ Lens shift Funktion

■ Integrated Mediaplayer

■ Freeze

■ Blackboard Modus

■ Eco Mode

■ Warping

■ Password protection

■ PJLink™

■ Crestron®-Software compatible.

■
- Features


	Lamp incl. air filter original	NP21LP / 60003224
	Object lens original	NP15ZL / 60003219
	Object lens original	NP14ZL / 60003221
	Object lens original	NP13ZL / 60003217
	Object lens original	NP12ZL / 60003220
	Object lens original	NP11FL / 60003222
	Remote control original	7N900961 / RD-455E
	Remote control original	60003218 / NP02CV
	Air filter package original	2 x 24J38371 & 2 x 24J38381

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=20244>

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
NP15ZL	4.7-7.2:1	9.4-14.4 m	50-10%	+/-30%	Manual
NP14ZL	2.97-4.79:1	5.9-9.6 m	50-10%	+/-30%	Manual
NP13ZL	1.5-3.02:1	3-6 m	50-10%	+/-30%	
NP12ZL	1.19-1.56:1	2.4-3.1 m	50-10%	+/-30%	Manual
Fix Optional Lenses					
NP11FL	0.8:1	1.6 m	0.0% Fix		No Zoom

Status

2011 Discontinued (EOL) // Last update of the data: 2023-08-04





HCinema

<https://www.projector-database.com/pro/necpa500u-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.