


Optoma ZK1000

EAN/UPC:5055387600379

OPTOMA ZK1000



The short-throw ZK1000 3D Laser DLP has 8000 ANSI lumens, a contrast ratio of 4000000:1, and a UHD (4K2K+) 3840 x 2400 resolution. Thanks to laser technology, the projector has a light life of up to 30,000 hours, which is over 20.5 years when used for four hours a day. The integrated lens shift gives you freedom when setting up the projector. With a short-throw projection ratio of only 1.26:1, the projector does not interfere with the room. For a 2m wide image, the projector only needs to be 252 cm away from the screen. Furthermore, the projector can play 1080P and 4K as well as 3D without any problems, meaning that all currently available Blu-ray formats can be recognized by the projector.



1 x UHD DLP Chip
UHD 4/3 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Disc Recognition

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

8000

4000000:1

0,0020 min. Lumen

Vert.: +/-55% Hori.: +/-25%

UHD (4K2K+) 3840 x 2400

9.216.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD, 3D, EDTV 480p, 576p

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray (60p)

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Short Distance | Gaming | Very large screen width and rooms with plenty of light and shaded daylight.

DuraCore Laser

30000 h.

0,00 € Laser

Powered

Powered x1,15

f=18,72-29,59 mm

1,26-2,1:1

2 x 10W

2667 Lux (200 cm Screen width)

4000000:1

0,001 min. Lumen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen

Screen


Screen

Screen

Screen

Screen

Screen



2x HDMI 2.0 in und 1x out
3D Sync in und out
Mini Jack Audio in und out
USB in
RS232C Din 9 pin in
HDBaseT
RJ45
12V Trigger

Connections




Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
655W / 375W in Eco Mode
535 x 189 x 396 mm (21,1"x7,4"x15,6") 40,04 L/dm³
40 / 35 dB in Eco Mode

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

16,80 kg / 35,27 lbs.
Vert.: +/-20°
Hori.: +/-20°
95%
H-sync: 15-140 kHz
V-sync: 24-240 Hz
248 fL / max. 862 cm screen width
850 cd/m²



- Real Full HD 3D
- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- User logo
- Eco Mode
- Kensington Slot
- High Dynamic Range (HDR)
- Warping
- 360° installable
- 24/7 continuous operation capable
- Password protection
- Remote control with backlight
- Lan network compatible.
- Crestron®-Software compatible.
- Portrait Projection
- Gaming Mode
- Color Management System
- True AV Mute
- Cable Remote Connection
- Telnet
- AMX
- Game Mode Input Latency: 4.5ms @ 4K+

Features

Screen Mirroring

-

Optional accessories

	Fernbedienung Original	BR-3074W / SP.72N03GC01	44,33 €
	Deckenhalterung 220	Halterung45	83,60 €

Status
2026 Current model // Last update of the data: 2026-03-02
Created: 2026-02-06 10:13:55

Data





HCinema

<https://www.projector-database.com/pro/optomazk1000-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.