

Panasonic PT AE500E/U

PANASONIC PT AE500E/U



The Panasonic model PT AE500E/U is an LCD projector with HDTV 1280 x 720 resolution and a contrast of 1300:1. The manufacturer specifies a lamp life of 5000 hours, which would be the equivalent of over 6.8 years at 2 hours per day. The projector will be able to illuminate a screen width of 296 cm well. If room lighting is available, however, the screen width should not exceed 197 cm. The operating noise of only 27 decibels makes projection quiet. It was launched in 2003 and is no longer offered by the manufacturer Panasonic, but is still very popular in our projector database.

Brief Introduction

Beta 2.5

Display Type



3 x 0,7" LCD TFT Panel
HDTV 16/9 Liquid Crystal Display

Ansi-Lumen

850

Contrast

1300:1 full on/off

Black Level

0,6538 min. Lumen

Offset

Resolution

HDTV 1280 x 720

921.600 Pixel

Video Modes

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Disc Recognition

DVD | HD Blu-ray (komprimiert) | 3D Blu-ray | 4K UHD Blu-ray

Application

Homecinema | Small screen width, rooms with very little ambient light below 100 lumens.

Light Source

130W UHM Lamp

Light Life

Article Nr.: ET-LAE500

bis zu 5000 h.

Operating Costs

-

Focus

Manual

Zoom

Manual 1,19

Objective

F=1,90-2,20 f=22,00-26,20 mm

Throw Ratio

1,4-1,65:1

Audio

Mono

Connections

1 x DVI-D in mit HDCP

D-sub 15pin in

S-Video in


Cinch Video in


Scart in (nur Europa Modell)

YUV in

D4-Schnittstelle (nur das Japan Modell "TH")

378 Lux (200 cm Screen width)
1300:1 full on/off
0,291 min. Lumen





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
180W / 0.5W standby
280 x 85 x 278,5 mm (11"x3,3"x11") 6,62 L/dm³
27dB

Key: 212 cm

Weight
Keystone
Illumination

2,90 kg / 6,39 lbs.
Vert.: +/-30°
90%

Frequenz

H-sync: 30-70 kHz
V-sync: 50-87 Hz

Key: 112 cm

Foot-Lamberts

35 fL / max. 296 cm screen width
120 cd/m²

Features

- Freeze
- Kensington Slot
- sRGB
- Gamma correction
- Remote control with backlight
- Digital Zoom
- De-interlacer with film mode
- Smooth-Screen technology (for smaller fly screen of LCD panels) Lamp mode Artificial Intelligenc (AI) in dark images, the lamp is dimmed.
- 10-bit digital gamma correction

Screen Mirroring
In Test

-
-

Optional accessories

	Nackte Lampe	NLMP2660	114,82 €
	Lampe Ruby	Ruby-LMP2660	112,11 €
	Lampe inkl. Luftfilter Original	ET-LAE500	EOL €
	Kompatible Lampe	LMP-K2660	58,69 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	N2QAEA000019	EOL €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status
Data

2003 Discontinued (EOL) // Last update of the data: 2026-06-09





HCinema

<https://www.projector-database.com/pro/panasonicptae500-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.