

Panasonic PT-VMZ6ST E/U

PANASONIC PT-VMZ6ST E/U



Brief Introduction

Beta 2.5

The short-throw PT-VMZ6ST E/U Laser LCD has 6200 ANSI lumens, a contrast ratio of 3000000:1 and a WUXGA 1920 x 1200 resolution. It is a laser projector with a 20000 hour light lifespan, which at a daily viewing of 4 hours would be over 13.7 years. Includes a lens shift and keystone correction function, which provides installation freedom. Due to the short-throw projection ratio of only 0.797:1, the projector does not interfere with the room either. For a 2m wide image, the projector only has to be 159 cm away from the screen. Since the projector recognizes Airplay, Miracast Screen Mirroring signals, it is possible to play videos with high resolution and surround sound directly from a smartphone, tablet, PC (Android, Windows and iOS) via WLAN. Furthermore, it is Full HD 1080P compatible.



3 x 0,64" LCD Panel

WUXGA 16/9 Liquid Crystal Display

Display Type

Ansi-Lumen

6200

2756 Lux (bei 200 cm Screen)

Contrast

3000000:1 full on/off

3000000:1 full on/off

Black Level

0,0021 min. Lumen

0,001 min. Lumen

Lens shift

Vert.: +50% -0% Hori.: +/-20%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Disc Recognition

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray

Application

Short Distance | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser Diode

Light Life

20000 h. / 24000 h. in Eco Mode

Operating Costs

0,00 € Laser

Focus

Manual

Zoom

Manual x1,2

Objective

F=1,53-1,66 f=11,3-14,2 mm

Throw Ratio


0,797-1,27:1

Audio

10W Monaural

Connections

2x HDMI in
D-sub 15pin in und out
Mini Jack Audio in und out
USB-A in
RJ45 in



RJ45 in DIGITAL LINK



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
280W / 215W Eco Mode
414 x 120 x 424 mm (16,3"x4,7"x16,7") 21,06 L/dm³
35 / 30 dB in Eco Mode

Weight
Keystone
Illumination

8,30 kg / 17,64 lbs.
Vert.: +/-25°
Hori.: +/-35°
-

Frequenz

-

Foot-Lamberts


256 fL / max. 800 cm screen width
877 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- User logo
- Eco Mode
- Kensington Slot
- Warping
- PJLink™
- Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.
- Multi Monitoring & Control Software,
- Presenter Light Software for Windows®
- Wireless Projector App for iOS/Android™
- PressIT
- Angle Sensor
- Daylight View Basic
- DICOM Simulation Mode
- Shutter Function
- Auto Image Rotation Function
- Auto Power On
- Direct Off Function
- Art-Net DMX
- 21: 9 widescreen
- PJLink™ (Class 2)
- Crestron Connected® V2
- Crestron® XiO Cloud and Extron XTP®.
- Emulation function for older software

Screen Mirroring

Miracast, Airplay, Windows



Optional accessories

 Deckenhalterung Länge 100-120 mm Halterung120 47,86 €

Status

2025 Current model // Last update of the data: 2025-03-24
Created: 2025-02-19 12:29:38

Data



More Details



HCinema

<https://www.projector-database.com/pro/panasonicptvmz6st-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.